## **ELASTIC FIBER FOR SEPARATION**

Patent number:

JP9217227

**Publication date:** 

1997-08-19

Inventor:

MORIFUJI YOSHINORI

Applicant:

ASAHI CHEM IND CO LTD

Classification:

international:

D01F6/70; D01F1/10; D02G3/02; D02G3/32

- european:

Application number:


JP19960022324 19960208

Priority number(s):

## Abstract of JP9217227

PROBLEM TO BE SOLVED: To obtain an elastic yarn for separation of high quality having little deviation in deniers in the longitudinal direction even in a fine denier yarn.

SOLUTION: This elastic fiber is a polyurethane elastic fiber which comprises plural bonded multifilaments or a monofilament wound in order on a bobbin 10 and contains 0.1-0.8wt.% hydrotalcite compound, 0.05-0.5wt.% metal salt and 0.05-0.5wt.% modified silicon compound and has <=10mg separation stress between the multifilaments or monofilaments wound in order on the bobbin.



Data supplied from the esp@cenet database - Worldwide